



Features

- ✧ Energy saving more than 50%.
- ✧ LED light environmental protection and energy saving without UV radiation.
- ✧ High efficiency (90%) constant current driver, with heat protection system.
- ✧ With high light through PC cover.
- ✧ Special light mix design looked from the surface.
- ✧ Soft surface when lighting.
- ✧ No fluorescent flickering.
- ✧ No hazard of mercury or lead entering environment.
- ✧ Two years warranty


Typical Applications

- ✧ Landscape Accent
- ✧ Architectural Lighting
- ✧ Display Case Accent
- ✧ Artwork Lighting
- ✧ Mood Lighting
- ✧ Home Indoor lighting



5 Feet (1513mm) Tube Light

Part No.	Input Voltage	CCT	Luminous flux	Flux at 1m	Power Factor
EL-T8-23W2G-RB-2833	AC100-240V	3000K±175	1600-1700lm	365 lux	>90
EL-T8-23W2G-RE-3843		4000K±275	1650-1750lm	380 lux	>90
EL-T8-23W2G-RA-5065		5700K±355	1700-1800lm	400 lux	>90

Mechanical Dimensions:





Viewing Angle:



Illuminance Maintenance:

Test Conditions:
TA=25°C
RH=65%
Light work lasting




Elite Enterprises (H.K.) Co., Ltd.

Flat 707, 7/F., Nanyang Plaza, 57 Hung To Road, Kwun Tong, H.K.
Tel: (852) 2723-3122 Fax: (852) 2723-3990
www.elitelighting.com.hk info@elite-ent.com.hk
Ver 1.3 Page: 2/3


We provide environmental friendly lighting

The Relative Intensity vs. Wavelength:

RA-5065



RB-2833



Package Size:

- Carton Dimension: L1530 x W213 x H185 mm
- Weight: 18.5 kg / box
- QTY.: 20 pcs / box

Instructions and Attentions:

- Cut off the power supply before installation.
- No starter, ballast, or electronic switch is required.
- Please install lamp stand and T8 lamp holder first with the same length.
- Lamp working voltage is AC 220V.
- Please connect the two wire terminals located at the side of the lamp to the electricity L and N respectively.



Elite Enterprises (H.K.) Co., Ltd.

Flat 707, 7/F., Nanyang Plaza, 57 Hung To Road, Kwun Tong, H.K.

Tel: (852) 2723-3122 Fax: (852) 2723-3990

www.elitelighting.com.hk info@elite-ent.com.hk

Ver 1.3 Page: 3/3

We provide environmental friendly lighting